


Exhibition Displays

Technical Specifications

Size Guide



Assembly Instructions

Follow these straightforward steps to put together your exhibition stand:

Exhibition Pop Ups:

- Lay out and check all the components for your display.
- Holding the frame by the two central poles, pull out and pull up until fully extended.
- Ensure the round adjustable feet are on the bottom of the frame.
- Expand the frame until the magnetic locking arms are connected together.
- Then attach the magnetic bars onto the nodes on the front and back of the frame.

Instructions continue on other side

Assembly Instructions Cont.

- Simply place the top of the graphic onto the frame into the groove and it will attach.
- Attach the rest of the panels ensuring each edge is aligned against the magnetic bars.
- Attach your lights at the top to illuminate your display.
- Your carry case doubles as a podium.

Stretch Fabric Displays:

- Lay out and check all the components for your display.
- Match up the numbers on your poles and begin slotting them together.
- Ensure all of the numbers match.
- Click the corners into place.
- Line up the graphic to the top of your frame and pull it over the corners.
- Pull the graphic down the poles until you reach the bottom of the frame.
- Zip up the graphic to create a tight fit.

Care Instructions

To maintain the quality and longevity of your exhibition stand:

Exhibition Pop Ups:

- Wipe clean with a soft, dry cloth to remove dust or smudges.
- Store in its protective case to prevent scratches or damage.
- Avoid prolonged exposure to the elements.
- Ensure all components are dry and clean before storage to prevent rust or wear.

Stretch Fabric Displays:

- Machine wash on a gentle cycle with cold water and mild detergent.
- Do not tumble dry; air dry only to maintain fabric tension.
- Avoid using bleach or harsh chemicals that can damage the print.
- Store in a clean, dry space to prevent creasing or discolouration.

Additional Information

Materials Information

Exhibition Pop Ups:

Graphics:

Coala Stay-Flat Pop Up 500mic

A textured white 500 micron, super flat, printable grey back hybrid PVC/polyester mix film. Scuff resistant satin crystal finish, no need for lamination. Is capable of vibrant colours and has a grey 'stop light' backing. It has a matt friction back coating to help aid printing alignment.

Additional Information

| | |
|------------------------------|---|
| <p>Materials Information</p> | <p>Frame: Magnetic Square Scissor Aluminium Frame Dimensions Mag Bar Mag Tape: (25mm Wide) Roll of Mag Tape: 12.70mm Mag Bar Profile size: 29mm wide x 6.50mm high Straight Aluminium Rigidiser Bar: 664mm +0mm – 1mm</p> <p>Stretch Fabric Displays: F/Flex Tissaro Flex One-Way Stretch Display Fabric 260gsm Flex is a super supple fabric, perfect for punchy prints on stretch frame sys-tems. It produces accurate and appealing graphics that don't distort when stretched.</p> <p>100% polyester design Fire: DIN fire-rated Weight: 260gsm Denier: 150 x 70 Weave method: Warp-knitted Fixation temperature: 190-210°C, 1-2 min Yellowing temperature: >210°C \</p> <p>Frame: Tubular aluminium frame with numbered poles that click together.</p> |
| <p>Printing Process</p> | <p>Exhibition Pop Ups: Drop-on-demand digital inkjet printing for high-definition image quality with smooth shadows, gradients, and sharp text.</p> <p>Stretch Fabric Displays: Dye-sublimation printing for durable, high-quality fabric graphics.</p> |

Additional Information

| | |
|----------------|---|
| Sizes | <p>Exhibition Pop Ups:</p> <p>1x3 – frame: 835mm, width: 1240mm, depth: 306mm, height: 2235mm</p> <p>2x3 – frame: 1590mm, width: 1930mm, depth: 485mm, height: 2235mm</p> <p>3x3 – frame: 2275mm, width: 2540mm, depth: 685mm, height: 2235mm</p> <p>4x3 – frame: 2865mm, width: 3070mm, depth: 960mm, height: 2235mm</p> <p>Stretch Fabric Displays:</p> <p>Straight:</p> <p>1m – 1000 x 2280mm</p> <p>2m – 2280 x 2000mm</p> <p>3m – 2922 x 2280mm</p> <p>4m – 4000 x 2280mm</p> <p>5m – 5000 x 2280mm</p> <p>Curved:</p> <p>2m – 2000mm x 2280mm</p> <p>3m – 3230 x 2280mm</p> <p>4m – 4380 x 2280mm</p> <p>5m – 5480 x 2280mm</p> |
| Sustainability | <p>Check with your local recycling facility to find out if they accept aluminium, PVC or fabric and if there are any special handling requirements.</p> |
| Environment | <p>Most suitable for indoor use. Suited to temporary outdoor use, weather permitting, keep dry to prevent rust and preserve the quality of the print.</p> |