


Outdoor Banners

Technical Specifications

Size Guide

Minimum: 0.5m x 1m

Maximum: 3m x 15m



Mounting Instructions

Follow these straightforward steps to secure your banner effectively:

- Use the provided heavy-duty cable ties for easy, secure mounting.
- Allow the banner's weight to naturally reduce creases as it hangs.
- Ensure an even, balanced tension across the banner to prevent overstretching.

Alternative Mounting Options:

For added flexibility, consider bungee cords, screws, or rope, depending on your installation needs.

Care Instructions

To maintain the quality and longevity of your banner:

- Clean regularly with a damp cloth to remove dirt and debris.
- Avoid harsh chemicals or abrasive cleaning materials.
- Store rolled (not folded) in a cool, dry place when not in use.
- Remove in extreme weather, such as high winds, to prevent damage.
- Ensure proper tensioning during installation to minimise unnecessary strain.
- Periodically check eyelets and edges for wear and tear, particularly after storms.

Additional Information

Materials Information	440gsm Banner PVC Description: Laminated PVC banner material; water-resistant and weatherproof. Tensile Strength: Warp 635 / Weft 451 N/5cm Tear Strength: Warp 125 / Weft 107 N Temperature Resistance: -20°C to 70°C 370gsm Mesh PVC Description: PVC mesh with 25% airflow; ideal for low-level building wraps and windy conditions. Expanse MB3 Mesh Banner works well as a wrap on one-to-two storey buildings. Tensile Strength: Warp 1250 / Weft 1100 N/5cm Tear Strength: Warp 235 / Weft 220 N Temperature Resistance: -20°C to 70°C
Printing Process	Drop-on-demand digital inkjet printing.
Finishing Method	Stitched and hemmed edges. Plastic eyelets every 50cm or in all four corners for easy, secure installation. Optional: No eyelets available on request. Cable ties included.
Environment	Suitable for both indoor and outdoor use.
Sustainability	PVC stocks require specialist facilities for recycling. Mesh materials are widely recyclable.